



PROTEZIONE CIVILE
Presidenza del Consiglio dei Ministri
Dipartimento della Protezione Civile



Regione Emilia-Romagna



CONFERENZA DELLE REGIONI E
DELLE PROVINCE AUTONOME

Attuazione dell'articolo 11 della legge 24 giugno 2009, n. 77


MICROZONAZIONE SISMICA

All. 23 – Verifiche liquefazione


Regione Emilia–Romagna
Comune di Parma



Regione Emilia–Romagna	Soggetto realizzatore  EN GEO S.r.l. ENGINEERING GEOLOGY www.engeo.it Direzione tecnica Dott. Geol. Carlo Caleffi Dott. Geol. Francesco Cerutti Collaboratori Dott. Geol. Andrea Conti Dott. Geol. Alessandro Ferrari	Data Aprile 2023 MS3
---------------------------	--	---




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Analysis method:	NCEER (1998)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	Sands only
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based




Analysis method:	NCEER (1998)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	Sands only
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on I_c value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	I_c cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based





Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello

Location: Comune di Parma


034027P942

CPT: CPTU9

Total depth: 20.00 m



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello

Location: Comune di Parma


034027P943

CPT: CPTU10

Total depth: 20.00 m



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello

Location: Comune di Parma


034027P944

CPT: CPTU11

Total depth: 20.00 m



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello

Location: Comune di Parma

034027P945

CPT: CPTU12

Total depth: 20.00 m



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello

Location: Comune di Parma

034027P945

CPT: CPTU12

Total depth: 20.00 m



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello

Location: Comune di Parma

034027P946

CPT: CPTU13


Total depth: 2.78 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




CRRplot




FSPlot



LPI



Vertical settlements



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello
Location: Comune di Parma


034027P947

CPT: CPTU14


Total depth: 11.90 m




Analysis method:	NCEER (1998)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	Sands only
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Analysis method:	NCEER (1998)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	Sands only
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello

Location: Comune di Parma

034027P949

CPT: CPTU16


Total depth: 5.34 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




CRR plot




FS Plot




LPI



Vertical settlements




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




CRRplot




FSPlot



LPI



Vertical settlements



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello
Location: Comune di Parma

034027P952

CPT: CPTU19


Total depth: 20.00 m




Analysis method:	NCEER (1998)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	Sands only
Points to test:	Based on I _c value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M _w :	6.14	I _c cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K ₀ applied:	Yes	MSF method:	Method based




Analysis method:	NCEER (1998)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	Sands only
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Analysis method:	NCEER (1998)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	Sands only
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based




Project: Microzonazione sismica 3° Livello

CPT: CPTU21

Location: Comune di Parma

Total depth: 20.00 m



Analysis method:	NCEER (1998)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	Sands only
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based




Project: Microzonazione sismica 3° Livello
Location: Comune di Parma


034027P955

CPT: CPTU22

Total depth: 16.16 m



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello

Location: Comune di Parma


034027P956

CPT: CPTU23

Total depth: 20.00 m



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.50 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.50 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello
Location: Comune di Parma

034027P929

CPT: SCPTU1

Total depth: 16.54 m



Analysis method:	NCEER (1998)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	Sands only
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based




Project: Microzonazione sismica 3° Livello

Location: Comune di Parma

034027P929

CPT: SCPTU1

Total depth: 16.54 m



Analysis method:	NCEER (1998)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	Sands only
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based




Project: Microzonazione sismica 3° Livello
Location: Comune di Parma


034027P930

CPT: SCPTU2

Total depth: 22.50 m



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello
Location: Comune di Parma

034027P931

CPT: SCPTU3

Total depth: 30.00 m



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello

Location: Comune di Parma

034027P931

CPT: SCPTU3

Total depth: 30.00 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello
Location: Comune di Parma

034027P932
CPT: SCPTU4
Total depth: 23.62 m



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




Project: Microzonazione sismica 3° Livello

Location: Comune di Parma

034027P933

CPT: SCPTU5


Total depth: 19.50 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based




CRRplot




FSPlot



LPI



Vertical settlements




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	No	MSF method:	Method based



Project: Microzonazione sismica 3° Livello - Indagini Engeo
Location: Comune di Parma

CPT: 034027P991

Total depth: 17.94 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Project: Microzonazione sismica 3° Livello - Indagini Engeo
Location: Comune di Parma

CPT: 034027P991

Total depth: 17.94 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Project: Microzonazione sismica 3° Livello - Indagini Engeo
Location: Comune di Parma

CPT: 034027P990

Total depth: 22.00 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Project: Microzonazione sismica 3° Livello - Indagini Engeo
Location: Comune di Parma

CPT: 034027P990

Total depth: 22.00 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Project: Microzonazione sismica 3° Livello - Indagini Engeo
Location: Comune di Parma

CPT: 034027P992

Total depth: 16.72 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Project: Microzonazione sismica 3° Livello - Indagini Engeo
Location: Comune di Parma

CPT: 034027P992

Total depth: 16.72 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Project: Microzonazione sismica 3° Livello - Indagini Engeo
Location: Comune di Parma

CPT: 034027P983

Total depth: 29.54 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Project: Microzonazione sismica 3° Livello - Indagini Engeo
Location: Comune di Parma

CPT: 034027P983

Total depth: 29.54 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Project: Microzonazione sismica 3° Livello - Indagini Engeo
Location: Comune di Parma

CPT: 034027P981

Total depth: 30.30 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Project: Microzonazione sismica 3° Livello - Indagini Engeo
Location: Comune di Parma

CPT: 034027P981

Total depth: 30.30 m




Analysis method:	Robertson (2009)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	Robertson (2009)	G.W.T. (earthq.):	2.00 m	Fill height:	N/A	applied:	All soils
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Project: Microzonazione sismica 3° Livello - Indagini Engeo
Location: Comune di Parma

CPT: 034027P980

Total depth: 26.18 m




Analysis method:	NCEER (1998)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	Sands only
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based



Project: Microzonazione sismica 3° Livello - Indagini Engeo
Location: Comune di Parma


CPT: 034027P980

Total depth: 26.18 m




Analysis method:	NCEER (1998)	G.W.T. (in-situ):	2.00 m	Use fill:	No	Clay like behavior	
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	3.00 m	Fill height:	N/A	applied:	Sands only
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	Yes
Earthquake magnitude M_w :	6.14	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	20.00 m
Peak ground acceleration:	0.20	Unit weight calculation:	Based on SBT	K_0 applied:	Yes	MSF method:	Method based

Project title : **Microzonazione sismica 3° Livello**
Location : **Comune di Parma**



Project title : Microzonazione sismica 3° Livello - Indagini Engeo


Location : Comune di Parma



Project title : Microzonazione sismica 3° Livello

Location : Comi

Overall vertical settlements report



Project title : Microzonazione sismica 3° Livello - Indagini Engeo

Location : Comune di Parma

Overall vertical settlements report

